



Support Lines

Section 1- General

|                  |  |
|------------------|--|
| Trade Name(s):   | Ceraplus, CorevBase, CorevMix, Pintufondo, Sottofondo, Vitroseal |
| Chemical Name:   | N/A  |
| Synonyms:        | Synthetic Stucco; Veneer Plaster                                 |
| Formula:         | N/A  |
| Chemical Family: | Acrylic Paint  |

Section 2 - Ingredients

| Component         | CAS No.    | %  | TLV |
|-------------------|------------|----|-----|
| Ethylene Glycol   | 107-21-1   | <2 | 50  |
| Petroleum Solvent | 64742-94-5 | <2 | 100 |

Section 3 - Physical Data

|                                    |                   |
|------------------------------------|-------------------|
| Boiling Point:                     | N/A               |
| Specific Gravity:                  | 1.70              |
| Vapor Pressure (MM/HG):            | N/A               |
| Melting Point:                     | N/A               |
| Vapor Density:                     | N/A               |
| Evaporation Rate:                  | N/A               |
| Solubility in Water (g/100 g H2O): | 26.00             |
| Appearance:                        | Semi-liquid paste |
| Odor Characteristics:              | Almost odorless   |

Section 4 - Fire and Explosion Hazard Data

Not a Fire or Explosion Hazard

Section 5 - Reactivity Data

|                           |                  |
|---------------------------|------------------|
| Stability:                | Generally stable |
| Incompatibility:          | None expected    |
| Conditions to Avoid:      | None expected    |
| Hazardous Decomposition:  | None expected    |
| Hazardous Polymerization: | Will not occur   |



PermaTone, Inc.  
 11620 Brittmoore Park Drive  
 Houston, Texas 77041  
 832/243-0787  
 713/849-9114  
 www.permatone.com



Section 6 - Health Hazard Data

| Routes of Entry                                      | Effects of Acute Exposure  |
|--|--|
| Eye Contact  | Eye contact causes irritation and possible corneal injury.   |
| Skin Contact:  | Prolonged or repeated skin contact may cause reddening, swelling and possible skin damage.   |
| Inhalation:  | Inhalation of high concentrations causes irritation of the respiratory tract. Symptoms include headaches, dizziness, nausea and malaise.       |
| Ingestion:   | Ingestion may cause headache, dizziness, lack of coordination, nausea, vomiting, diarrhea, general weakness, possible liver and kidney damage. |
| Carcinogenicity:                                     | NTP: No IARC: No OSHA: No  |
| Chronic Health Hazards:                              | Refer to Effects of Acute Exposure (above)   |
| Medical Conditions Generally Aggravated by Exposure: | May adversely affect existing medical conditions such as eye, skin, respiratory, liver and/or kidney ailments.                                 |
| Emergency and First Aid Procedures:                  | Immediately flush with plenty of water for at least fifteen (15) minutes.  |
| Eye and Skin Contact:                                | Call a physician.  |
| Inhalation:  | Move to area with fresh air.   |
| Ingestion:   | If swallowed induce vomiting immediately as directed by medical personnel.   |

Section 7 - Precautions for Safe Handling and Use

|   |  |
|---|--|
| If Material is Released or Spilled: Contain spillage, scoop into container for disposal. Residues may be washed off with water. |  |
| Waste Disposal Method :   | Follow appropriate federal, state and local regulations regarding proper waste disposal.   |
| Handling and Storing:   | Store containers stacked no more than three (3) high at room temperature and avoid direct sunlight. Keep containers closed and protect from freezing conditions. |

Section 8 - Control Measures

|                         |   |
|-------------------------|---|
| Respiratory Protection: | N/A   |
| Ventilation:            | When working in enclosed areas open windows or allow for air circulation.         |
| Protective Equipment:   | None required.  |
| Work/Hygiene Practices: | Avoid breathing vapors, contact with eyes or skin. Use with adequate ventilation. |